

Notice of Allowability

Application No.

09/982,943

Examiner

SIMON D NGUYEN

Applicant(s)

MERENDA, JOSEPH L.

Art Unit

2685

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to application filed 5/22/02.
2. ☒ The allowed claim(s) is/are 1-24.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 2 IDSs
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

SIMON NGUYEN
PATENT EXAMINER

Simon Nguyen 10/28/04

Allowable Subject Matter

1. Claims 1-24 are allowed.
2. The following is an examiner's statement of reasons for allowance:

Regarding claims 1, 11, and 20, the Gawler reference (3,665,508) discloses a double balanced diode mixer (figs.1-2), comprising: a LO have an input terminal and an output terminal, wherein the output terminal of the LO inputted to an anti-parallel, series-pair of diodes, wherein the anti-parallel, series-pair of diodes connected as a modified bridge configuration (for example in fig.2, the LO outputting signal inputted to the anode of diode 21 and the cathode of diode 21 outputs an IF signal) to output an IF signal (fig.2).

This reference does not specifically disclose that the output of the LO inputs to a first diode of the series-pair of diodes and a second diode of the series-pair of diodes outputs an IF signal.

Regarding claims 2-10, 12-19, 21-24, these claims are allowed as being dependent upon independent claims that have been allowed.

Drawings

3. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the drawing is informal. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are

Art Unit: 2685

required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Conclusion

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Simon Nguyen whose telephone number is (703) 308-1116. The examiner can normally be reached on Monday-Friday from 7:00 AM to 4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward F. Urban, can be reached on (703) 305-4385.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 306-0377.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Or faxed to:

Art Unit: 2685


(703) 872-9314, (for formal communications intended for entry)

Hand-delivered response should be brought to Crystal Park II,
2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Simon Nguyen

October 28, 2004

SIMON NGUYEN
PATENT EXAMINER

A handwritten signature in cursive script that reads "Simon Nguyen".